AFTO	Air Force Technical Order
AFSC	Air Force Specialty Code
CSO	Chief/Concurrent Servicing Operations
CSS	Chief Servicing Supervisor
DLA	Defense Logistics Agency
DoD	Department of Defense
ESDS	Electrostatic Discharge Sensitive
ETIMS	Enhanced Technical Information Management System
FSC	Fuel Service Center
FSSZ	Fuel Servicing Safety Zone
HAS	Hardened Aircraft Shelters
HCI	Hardness Critical Items
HF	High Frequency
HSV	Hydrant Servicing Vehicle
ICT	Integrated Combat Turnaround
NAOC	National Airborne Operation Center
NFPA	National Fire Protection Association
PAS	Protective Aircraft Shelters
PN	Part Number
PSI	Pound-force per Square Inch
PTO	Power Takeoff
SPR	Single Point Receptacle
TCTO	Time Compliance Technical Order
TO	Technical Order
USAF	United States Air Force

4 RELATED PUBLICATIONS.

NOTE

When searching Technical Order (TO) numbers in the Enhanced Technical Information Management System (ETIMS) catalog, please use the wildcard (*) after typing in the TO number. Many TOs are not available in paper format, (i.e., digital (WA-1) or Compact Disk (CD-1)). This ensures TOs in all media formats will populate the search.

The following publications contain information in support of this technical manual.

List of Related Publications

Number	Title
ASME Y14.38	Abbreviations and Acronyms for Use in Product Definition and Related Documents
DODI 5330.03_AFI 33-395	Defense Logistics Agency (DLA) Document Services
TO 00-5-1	AF Technical Order System
TO 00-25-172	Ground Servicing of Aircraft and Static Grounding/Bonding
TO 00-25-195	AF Technical Order System Source, Maintenance, and Recoverability Coding of Air Force Weapons, Systems, and Equipments
TO 00-25-234	General Shop Practice Requirements for the Repair, Maintenance, and Test of Electrical Equipment
TO 31Z-10-4	Electromagnetic Radiation Hazards
TO 36A12-13-17-101	Operation and Maintenance Instructions - Truck, Aircraft Refueling Hydrant Hose, A/S 32R-12, PN 182HT-Z001, NSN 2320-00-477-5521
TO 36A12-13-31-1	Operation and Operator Maintenance Instructions - Truck, Aircraft Refueling Hydrant Hose, Model HSV-12-AF, PN 50-0003
TO 36A12-13-34-1	Operation and Maintenance Instructions - Aircraft Hydrant Servicing Vehicle, Model PAHT-750-8

6 HCI HARDNESS CRITICAL ITEMS (HCI).

CAUTION

The HCI symbol (HCI) establishes special requirements limiting changes and substitutions and that the specific parts listed must be used to ensure hardness is not degraded.

If included, items with nuclear survivability requirements are marked with the HCI symbol (HCI). All changes to, or proposed substitutions of, HCIs must be approved by the acquiring activity.

7 ELECTROSTATIC DISCHARGE SENSITIVE (ESDS) ITEMS.

CAUTION

All ESDS parts shall be handled in accordance with the ESDS device handling procedures in TO 00-25-234.

If included, items containing ESDS parts are marked with the ESDS symbol ( ).

8 IMPROVEMENT REPORTS.

Recommended changes to this manual shall be submitted in accordance with TO 00-5-1.